
For Safe Use of Products

For safe use, this instruction manual and the product use various symbols and signal words. After fully understanding their meanings, read the safety precautions and follow the instructions Improper use ignoring the symbols and the signal words may result in the following risks.



1. Function and Performance

DANGER Prohibitio

• Do not use the belt as hoisting or towing equipment

WARNING

- Do not use the belt beyond the acceptable ranges specified in the Catalogue.
- When fire and malfunction of the control device are expected due to static electricity generating in the transmission device. use an antistatic belt. Set a neutralization apparatus in the transmission device. • Do not use the belt for conveying
- unpackaged food.

2. Storage and Shipping

- Keep fire away.Belt is combustible;do not store or use it near fire
- or a high-temperature heat source. When storing heavy belts, fix them by appropriate jigs or stoppers to prevent falling or rolling.

- · When storing and shipping the belts, do not distort them excessively. • Store the belts in a well-ventilated, low-humidity place
- free from direct sunlight. The recommended storage temperature is 10 to + 30°C. • Store the belts in the shipping packages.

3. Installation and Daily Use

DANGER

• Be sure to put a safety cover over the rotating part including the belt; hair, gloves or clothes may get caught in the belt pulley.

NITTA CORPORATION

4-4-26 Sakuragawa Naniwa-ku,Osaka 556-0022 Japan Phone:+81-6-6563-1225 Fax:+81-6-6563-1242 http://www.nitta.co.jp

NITTA CORPORATION OF AMERICA 7605 Nitta Drive, Suwanee, GA 30024, U.S.A. Phone:+1-770-497-0212 Fax:+1-770-623-1398

http://www.nitta.com

NITTA CORPORATION OF HOLLAND B.V. Berenkoog 25, 1822 B.H. Alkmaar, The Netherlands Phone:+31-72-5622234 Fax:+31-72-5613238 http://www.nitta.nl

NITTA (SHANGHAI) MANAGEMENT CO., LTD

Room2705, Shenggao Interna tional Building, No.137 Xianxia Road, Shanghai 200051 Phone:+86-21-6229-6000 Fax:+86-21-6229-9606 http://www.nitta-cn.com

NITTA CORPORATION INDIA PVT. LTD.

Gat No.191, 192, 193-Plot B, Village Vadhu Khurd, Haveli Taluka, Pune-412 216, INDIA Phone:+91-20-6731-3400 http://www.nitta.co.in

NITTA CORPORATION KOREA OFFICE

Room710, 7F, ShinhanDM Bldg. Mapo-daero 25, Mapo-gu, Seoul, Korea Phone:+82-2-3274-1252 Fax:+82-2-3274-1253 http://www.nitta.kr

WARNING

• When cleaning the belt, do not use chemicals harmful to humans.

• Before maintenance, inspection or replacement, be sure

to turn off the switch and check that the machine stops.

- After replacing the belt with a new one, perform a test operation to adjust tension, elongation rate and operation
- Do not attach the belt forcibly; use a motor slide,
- a tension pulley or a special pulling device.
 When abnormal noise, snaking, deviation, slipping, etc. occur, stop the belt immediately for inspection.

4. Installation. Endless Processing, etc.

• When using solvent or adhesive, fully ventilate the workplace. Keep fire away.

CAUTION

• Perform endless joining of belts by using the materials, the methods and the procedures specified by Nitta.

5. Handling Used Belts

WARNING • Do not leave the belts near fire.

industrial waste

• Do not burn used belts; harmful gasses may be generated. • Lawfully dispose of the used belts as



NITTA INDUSTRIES EUROPE GmbH Hansaallee 201,40549 Dusseldorf.Germany

Phone:49-211-537535-0 Fax:+49-211-537535-35 http://www.nitta.de

NITTA CORPORATION OF SINGAPORE PTE LTD

120 Lower Delta Road, #05-07/08 Cendex Centre, Singapore 169208 Phone:+65-6438-8738 Fax:+65-6438-8793 http://www.nitta.com.sg <Thai Liaison Office>Phone:+66-9-0654-9717 <Indonesia Liaison Office>Phone:+62-878-2292-5633

TAIWAN NITTA FILTER CO.LTD. Headquarters: Chia Hsin Building 10FL Room No. 1005, 96 Chung Shan North Road Section 2, Taipei, Taiwan, R.O.C. Phone:+886-2-2581-6296 Fax:+886-3-469-0260 http://www.nitta.com.tw

NITTA BRASIL

Rua Francisco Mommenshon,50B,Galpão 02 Laranjeiras, Caieiras, São Paulo, Brazil Phone/Fax:+55-11-4441-2922 http://www.nitta.com.br

CONNECT CONVEYOR BELTING INC. 405 Industrial Drive Unit 3-8, Milton, Ontario Canada L9T 5B1 Phone:+1-905-878-5552 FAX:+1-905-878-0344 http://www.connectbelting.com/

The specification is subject to change for improvement without notice.





NITTA CORPORATION

B-PB-05E

Power Transmission and Conveyor Belt **PolyBelt**



Features

The roots of Nitta Corporation date back to the Meiji period, when we succeeded in the manufacture of leather transmission belts for the first in Japan. Currently, our products have evolved into "PolyBelt", power transmission and conveyor belts.

Polybelt, which basically consists of a combination of thin, strong polyamide film and highly abrasion-resistant special synthetic rubber, is now used globally in the fields of power transmission and conveyance of industrial machinery.

We deliver high added value and meet the needs of the society, offering products with high functionality for faster and more reliable power transmission and conveyance.

Nitta's mission is to provide continuing high-quality and reliable products to exactly suit our customers' needs.

OONITENITO

CONTENTS	
Pa	ige
Features	1
Types and Properties 2~	-7
Design Materials 8~	-9
Biaxial Power Transmission Design	8
Belt Length Calculation Formula	9
Pulley Shape	9
Precautions for Use 10~1	11
Troubleshooting for Power Transmission Problems 1	2
Basic Structure 1	3
Belt Types 1	3
Manufacturing Tolerance 1	3
For Safe Use of Products Back cover	er

1 Abrasion resistance	Excellent friction cc rubber (N (Taber Abra ※Abrasive
2 High-tensile tension member	High-qual tension m (Tensile stro {3,000 kgf/
3 High-speed power transmission	High flex obtained reduce th (Up to 70 m
4 Antistatic treatment	PolyBelt treatment (500 V or le
5 Wide variety of types	Wide vari all fields i
6 Easy endless joining	On-site er special to



abrasion resistance achieved due to the stable oefficient provided by use of special synthetic NBR: Acrylonitrile Butadiene Rubber).

asion Test: 40 mg/1000 times) e wheel used: H22, Load: 5N

lity stretched polyamide film is used as a nember to provide high tensile strength. rength of the polyamide film tension member: 300 Mpa /cm²} or more)

resistance and high-speed power transmission by using a thin and strong tension member to he effect of centrifugal forces. n/s available)

(except as noted) is subjected to antistatic t to obtain low electrostatic potential. ess)

iety of types available to meet the demands in including power transmission and conveyance.

endless joining of belts is easy with Nitta's ools and adhesives.

Types and Properties

				Total	Weight		_		Cover N	Material					ad under onditions kgf/cm width)	Minin pulley di (mn	ameter	Antistatic	Standard maximum	Temperature range for
Major Applications	Properties	Belt	Туре	Thickness (mm)	(kg/m ²)		Top sur		Friction	Bottom surface				At 2%	At 1%	For power transmission	For	property	width (mm)	continuous use (°C) (For intermittent use)
			1	()		Material	Surface configuration	Color	Friction coefficient	Material	Surface configuration	Color	Friction coefficient	elongation	elongation	transmission	conveyance			
Machine tools (Automatic lathes,	Thin rubber especially suitable for		250	1.25	1.4	NBR	Rough	Blue		NBR	Rough	Black		6.0	3.0	25	20	0	300	-20~80
etc.) Dryers (Cylinder drying	flexing/high-speed operation		350	1.4	1.6	NBR	Rough	Blue	0.5	NBR	Rough	Black	0.5	10.5	5.2	35	30	0	300	-20~80
machines, etc.)			500	1.55	1.8	NBR	Rough	Blue	(NBR	Rough	Black		15.0	7.5	50	40	0	300	-20~80
Small to medium wood working machines		L	750	2.2	2.5	NBR	Rough	Blue	, 0.6	NBR	Rough	Black	, 0.6	22.5	11.2	75	50	0	300	-20~80
Small centrifugal pumps and			1000	2.45	2.8	NBR	Rough			NBR	Rough	Black		30.0	15.0	100	60	0	300	-20~80
blowers			1500	2.95	3.4	NBR	Rough		(Against iron)	NBR	Rough	Black	(Against iron)	45.0	22.5	150	90	0	300	-20~80
			2000※	3.45	4.0	NBR	Rough	Blue		NBR Rou	Rough	Black		60.0	30.0	200	120	0	300	-20~80
Power transmission in industrial	Standard type		250	2.2	2.4	NBR	Rough	Blue		NBR	Rough	Black		6.0	3.0	25	25	0	300	-20~80
machinery (Fans, pumps, etc.) Sawmill machines	Suitable for normal operating conditions		350	2.35	2.6	NBR	Rough	Blue			Rough	Black		10.5	5.2	35	35	0	300	-20~80
(Chippers, etc.)	conditions		500	2.5	2.7	 NBR	Rough	Blue	0.5		Rough	Black	0.5	15.0	7.5	50	40	0	300	-20~80
Paper working machines			750	2.75	3.0	NBR	Rough	Blue	S	NBR	Rough	Black	S	22.5	11.2	75	50	0	300	-20~80
(Coaters, etc.) Other general power	ansmission ut-proof conveyors	M	1000	3.0	3.3	NBR	Rough	Blue	0.6	NBR	Rough	Black	0.6	30.0	15.0	100	60	0	300	-20~80
transmission			1500	3.5	4.0	NBR	Rough	Blue		Against iron) NBR Rough Black (Agains NBR Rough Black NBR Rough Black	Black		45.0	22.5	150	90	0	300	-20~80	
Cut-proof conveyors (Thin-plate conveyors, etc.)			2000※	4.0	4.6	NBR	Rough		(60.0		200	120	0	300	-20~80		
			2500※	4.5	5.2	NBR	Rough	$\left \right $					37.5	250	150	0	300	-20~80		
Compressors	Highly abrasion/impact resistant		500	3.5	3.8	NBR	Rough			NBR	Rough			15.0		50	50		300	-20~80
Rolling machines	thick rubber cover is used.		750%	3.75	4.1		Rough				Rough				11.2					-20~80
Paper tube winding machines	Suitable for severe operating								0 5	<u> </u>			0.5			75	60	0	300	
Abrasion-resistant conveyors (Building material conveyors,	conditions	Н	1000	4.0	4.4	NBR	Rough	$\left \right $	0.5		Rough				15.0		75		300	-20~80
etc.)			1500※	4.5	5.0	NBR	Rough	$\left \right $	S	<u> </u>	Rough				22.5		120	0	300	-20~80
	MH		2000※	5.0	5.6	NBR		$\left \right $			Rough			60.0		200	160	$ \circ $	300	-20~80
			2500※	5.0	6.0	NBR	Rough	Blue	(Against iron)	NBR	Rough	Black	(Against iron)	75.0	37.5	250		0	300	-20~80
		MH	3000※	5.5	6.5	NBR	Rough	Blue		NBR	Rough	Black		90.0	45.0	300		0	300	-20~80
			4000※	6.5	7.6	NBR	Rough	Blue		NBR	Rough	Black		120.0	60.0	400	_	0	300	-20~80

*The products are made to order; please confirm the stock.

				Total	Weight				Cover N	laterial				stable co	ad under onditions kgf/cm width)	Minii pulley d (mi	liameter		Standard	Temperature range for
Major Applications	Properties	Belt	Туре	Thickness (mm)	(kg/m ²)		Top su		Eristion		ottom s	_	1	, At 2%	. At 1%	For power	For	Antistatic property	maximum width (mm)	continuous use (°C) (For intermittent use)
				()		Materia	ial Surface configuration	on Color	Friction coefficient	Material	Surface configuration	Color	Friction coefficient	elongation	elongation	transmission	conveyance			(
			250	0.8	0.8	NBR	Weave	Green		NBR	Weave	Black	(6.0	3.0	25	20	0	300	-20~80
			350	0.95	0.9	NBR	Weave	Green		NBR	Weave	Black	c	10.5	5.2	35	30	0	300	-20~80
		SG	500	1.1	1.1	NBR	Weave	Green		NBR	Weave	Black	0.3~0.4 (Against iron)	15.0	7.5	50	40	0	300	-20~80
	Moderate sliding properties		750	1.35	1.4	NBR	Weave	e Green	0.3~0.4	NBR	Weave Bla	Black		22.5	11.2	75	50	0	300	-20~80
General power transmission	on both sides Excellent paper conveyance		1000※	1.6	1.7	NBR	Weave	_	Against iron) NBR Weave	Black	ζ	30.0	15.0	100	60	0	300	-20~80		
Printer paper feed Conveying plywood			250	1.0	1.0	NBR	Weave	e Green	NE	NBR	Rough	Black	lack 0.5~0.6	6.0	3.0	25	20	0	300	-20~80
		SGL	500	1.3	1.4	NBR	Weave	e Green		NBR	Rough	Black	(Against iron)	15.0	7.5	50	40	0	300	-20~80
		SG	750-2P%	1.1	1.2	NBR	Weave	e Green		Polyamide film	Mirror surfac	-	0.1~0.2 (Against iron)	22.5	11.2	50	40	0	300	-20~80
			250※	1.05	1.0	NBR	Rough	Blue		NBR	Weave	Black		6.0	3.0	25	20	0	300	-20~80
	Thin rubber especially suitable for	LS	350※	1.2	1.2	NBR	Rough		0.5~0.6 (Against iron)	NBR	Weave	Black	ack 0.3~0.4 (Against iron)	10.5	5.2	35	30	0	300	-20~80
flexing	flexing/high-speed operation		500※	1.35	1.4	NBR	Rough	Blue	(riganior non)	NBR	Weave	Black		15.0	7.5	50	40	0	300	-20~80
	Top surface has high friction	IRTA	350※	1.15	1.2	NBR	Rough	Green	0.5~0.6 (Against iron) P 0.3~0.4	Polyamide	Canvas	Blue	ue	10.5	5.2		30	0	300	-20~80
Printer paper feed	coefficient.		350※	1.1	0.8	NBR	Weave	Black		Polvamide		+	0.00.00		5.2		30	0	300	-20~80
	Bottom surface has excellent sliding properties.		500※	1.2	1.0	NBR	Weave	e Black	(Against iron)	Polyamide	Canvas	Blue		15.0	7.5		40	0	300	-20~80
Printer folding par	Top surface is abrasion resistant and has excellent sliding properties.	TPS	S-3SN%	1.1	0.8	Polyamid	ide Canva	s Purple	0.2~0.25	NBR	Weave	Black	0.3~0.4 (Against iron)		3.4		30	0	300	-20~80
Corrugated board machine (Paper feeding to and discharging from the rotary cutter)	Highly scratch/abrasion resistant surface material used	CB	X-7S%	4.2	2.5	Artifica	al Flat and		0.4~0.5	Artifical leather	Flat and smooth	Gray	0.2~0.25		15.0		75	×	300	-20~80
Conveying cardboard boxes (Counter eject)		CBI	E-20	7.0	3.5	NBR				Polyester		Black		_	6.0 (0.5%)		100	0	300	-20~80
		RT	300	abt. 7.0	6.5	NBR	Rough to	p Blue		Polyester	Canvas	White			6.0		100	0	300	-20~80
	High conveyance capacity		0	abt. 5.5	4.8	NBR				Polyester	Canvas	White	0.2~0.25		(0.5%)		100	0	300	-20~80
Conveying cardboard boxes Conveying plywood	achieved due to rough top cover Suitable for severe operating		100	abt. 4.5	3.6	NBR			ADT.I.U (Anainst cardhoard)	Polyester			(Against Iron)		6.0		50	0	300	-20~80
	conditions		300	abt. 6.5	6.5	NBR			e '' ' e			vas White	-		6.0		100	0	300	-20~80
			500			NBR				NBR	Weave		0.50,0.6		7.5		90	0	300	-20~80
			500	abt. 6.0	0.0	NBR	Rough to	h pine			weave	Diack	(Against iron)		1.5		90		300	-2U~8U

 $\ensuremath{\ensuremath{\mathbb{X}}}$ The products are made to order; please confirm the stock.

				Total	Mainht				Cover N	laterial				Axial loa stable co		Minir pulley d (mr	ameter		Standard	Temperature
Major Applications	Properties	Belt	Туре	Thickness	Weight (kg/m ²)			urface		В	ottom s	urfac				``	,	Antistatic property	maximum width (mm)	range for continuous use (℃)
			1	(mm)		Materia	tial Surfaction	e tion Color	Friction coefficient	Material	Surface configuration	Color	Friction coefficient	At 2% elongation	At 1% elongation	transmission	conveyance		()	(For intermittent use)
			500-3	3.0	3.4	NBR	Roug	h Blue		NBR	Rough	Blue	Blue	15.0	7.5	50	20	0	300	-20~80
			500-3.5	3.5	3.9	NBR	Roug	h Blue		NBR R	Rough	Blue		15.0	7.5	55	30	0	300	-20~80
			500-4	4.0	4.3	NBR	Roug	h Blue		NBR	Rough	Blue		15.0	7.5	60	40	0	300	-20~80
Folder gluerHigh conveyance capacityPaper tube winding beltachieved due to rubber	хн	500-5%	5.0	6.8	NBR	Roug	h Blue	0.8~0.9 (Against iron)	NBR	Rough		(Against iron)	10.0	7.5	70	50	0	300	-20~80	
Paper tube winding belt Conveying plywood	properties		500-6%	6.0	7.4	NBR	Roug	h Blue	0.7~0.8 (Against iron)	NBR	Rough	Blue	0.7~0.8 (Against iron)	15.0	7.5	80	60	0	300	-20~80
			750-4%	4.25	4.4	NBR	Roug	h Blue		NBR	Rough	Blue		22.5	11.2	75	20	0	300	-20~80
			1000-4%	4.0	4.4	NBR	Roug	h Blue		NBR NBR	Rough	Blue		30.0	15.0	75	40	0	300	-20~80
			1000-6.5%	6.5	7.2	NBR	Roug	h Blue			Rough	Blue		30.0	15.0	100	40	0	300	-20~80
		TTA	500N※	1.3	1.2	Polyamide film		as Blue		Polyamide	Canvas	Blue		_	7.5	40	20	×	300	-20~80
Table-supported conveyorExcelleAccumulation conveyorExcelle	Excellent sliding on both surfaces		1000N※	1.8	1.7	Polyamide film	^{ide} Canva	as Blue	0.2~0.25 (Against iron)	Polyamide	Canvas	Blue	0.2~0.25 (Against iron)		15.0	60	30	×	300	-20~80
		TTB	1000※	2.8	2.5	Polyamide film	^{ide} Canva	as Blue		Polyamide	Canvas	Blue		_	15.0	60	40	×	300	-20~80
Table-supported conveyor	Excellent sliding on one surface	GLTA	350※	1.5	1.6	Polyamide film	^{ide} Canva	as Blue	0.2~0.25 (Against iron)	NBR	Rough	Blue	0.5~0.6 (Against iron)	_	5.2	35	30	0	300	-20~80
	High conveyance capacity	τ\/	250※	1.8	1.5	NBR	R TW	Blue		NBR	Rough	Black		_	3.0	25	30	0	300	-20~80
Sloping conveyor	achieved due to rough	TW	500※	2.1	1.9	NBR	R TW	Blue	0.5~0.6 (Against iron)	NBR	Rough	Black	0.5~0.6 (Against iron)		7.5	40		0	300	-20~80
	surface of belt	TWH	500※	3.8	3.8	NBR	R TW	Blue		NBR	Rough	Black		_	7.5	40	30	0	300	-20~80
			6S*	2.25	2.4	NBR	R Taffet	t a Deep blue		NBR	Rough	Gray		23.0	—	60	75	0	300	-20~80
Fiber	T (()) (-	75%	2.4	2.6	NBR	R Taffet	t a Deep blue	0.5~0.6	NBR	Rough	Gray	0.5~0.6	30.0	_	75		0	300	-20~80
Driving roller conveyors	Taffeta surface	TFL	10\$	2.6	2.8	NBR	R Taffet	t a Deep blue	(Against iron)	NBR	Rough		I(Against iron)	39.0	—	100	100	0	300	-20~80
			158%	3.1	3.4	NBR	R Taffet	ta Deep blue		NBR	Rough	Gray		60.0	—	150	100	0	300	-20~80
Uret	hane	HU	250※	1.3	1.6	high degree of hardnessP	ree Flatan sPU smoot	id h Deep blue	0.3~0.4 (Against iron)	NBR	Weave	Green	0.5~0.6 (Against iron)		3.0	20	50	0	300	-20~80
Sponge bonded with jerse	Sponge bonded with jersey Cushioning properties		-10J※	abt.10.0	2.8		ey Canva			Polyamide	Canvas	Gray	0.2~0.25 (Against iron)		7.5	100	100	×	300	-20~80


*The products are made to order; please confirm the stock.

Design Materials

Design Materials

1. Biaxial Power Transmission Design

(1) Select the belt type according to the design power and the small pulley rotation speed shown in Table 1 below.



(2) Calculate the belt speed (V) by using the pulley diameter and rotation

speed.
$$v(m/s) = \frac{\pi \cdot d \cdot n}{60 \times 1000}$$

d: Drive pulley diameter (mm) n: Drive rotation speed (mm)

(3) Calculate the effective tension (Te) by using the transmission power and the belt speed.


$$Te(N) = \frac{1000 \times P}{V}$$
 P: Transmission power (kw)

(4) Calculate the pulley contact angle (θ) (for the open belt drive).

$$\theta (\text{deg}) = 180^\circ - \frac{57(\text{D}-\text{d})}{\text{C}}$$

D: Large pulley diameter (mm) d: Small pulley diameter (mm) C: Center distance (mm)

(5) Obtain the traction coefficient (λ) from Table 2 below.




(6) Select the load reserve factor (K) from Table 3 below Table 3. Load Reserve Factor (K)

Use conditions	Normal condition	Environment with oil and dust
Excessively light start-up load; small load fluctuation (Belt conveyors and small centrifugal pumps)	1.3	2.4
Light start-up load; small load fluctuation (Printing machines and wood working machines)	1.5	2.7
Heavy start-up load; large load fluctuation (Printing machines, pressing machines and rolling machines)	2.0	3.6

(7) Calculate the approximate axial load (2To). $2To(N) = Te \times \frac{K}{N}$ (8) Calculate the belt width limit (b).

$b(mm) \leq \frac{(bp - 10)}{1.1}$	bp: Pulley width (mm)
Round the calculated belt width to the	e nearest 5 mm.

(9) Obtain the centrifugal constant from Table 4 below. Then calculate the centrifugal tension (tc) using the following calculation formula. <Calculation formula> Centrifugal tension (tc) = Centrifugal tension constant x Belt thickness (h) (mm)



(10) Calculate the axial load (2to) per unit width (N/mm width).

$$2to(N/mm width) = \frac{2To}{b} + 2tc$$

(11) Calculate the elongation rate (ϵ) of the selected belt.

$$\varepsilon = \frac{2\text{to}}{2\text{to}(2\%)} \times \varepsilon^{"} \qquad \frac{\varepsilon^{"}: \text{Standard elongation rate (2 \%)}}{2\text{to}(2\%): \text{Axial load under stable condition}}$$

The allowable belt elongation rate is 1 - 3 %. When the belt elongation rate is outside this range, take the following measures. a. Change the belt type. b. Change the belt width.

(12) Calculate the axial load (F) by using the belt tension.

During operation stop:
$$Fs(N) = 2to \times \frac{\varepsilon}{2} \times b \times sin \frac{\theta \times \pi}{2 \times 180^{\circ}}$$

During operation: $Fr(N) = \left(2to \times \frac{\varepsilon}{2} - 2tc\right) \times b \times sin \frac{\varepsilon}{2}$

(Note) For multiaxial power transmission and conveyance, please consult Nitta.

2. Belt Length Calculation Formula

Calculate the inner peripheral length (Li) as follows:

Inner peripheral length (A)
Li (mm) = 2C +
$$\frac{\pi}{2}$$
(D+d) + $\frac{(D-d)^2}{4C}$
Inner peripheral length (B)
Li (mm) = 2C + $\frac{\pi}{2}$ (D+d) + $\frac{(D+d)^2}{4C}$

The length of PolyBelt is determined according to the pitch length (Lc). Convert "Li" obtained above into "Lc" Pitch length Lc = Li $+ \pi$ h h: Belt thickness (mm)

When the center distance is fixed and there is no tension pulley in the device, shorten the belt length by the elongation rate as shown in the calculation formula below.

Belt length (mm) =
$$\frac{Lc}{1+E}$$
 $E = \frac{\epsilon}{100}$ ϵ : Elongation rate (%)

(Note) Please inform Nitta of the pulley diameter and the coordinates; we will calculate the belt length for multiaxial power transmission.

3. Pulley Shape

(1) Calculate the pulley width (bp) from the following formula.


bp(mm)=1.1b+10mm b = Belt width (mm)

(2) Obtain the pulley crown (hc) from Table 5.

Table 5. Standard Crown hc (mm)

Pulley width	30~150	151~300	301~700	701~1000	100
30~125	0.8	1.2	1.3	1.7	
126~260	1.0	1.3	1.5	2.0	
261~400	1.1	1.4	1.6	2.2	

(3) Calculate the curvature radius (rc) from the following formula.





(5) Belt speed and pulley material


Belt speed	30 m/s or less	30 to 50m/s	50 m/s or more
Pulley material	Cast iron, aluminum, mild steel	Cast iron or mild steel	Mild steel

(6) As a rule, do not attach a flange to the pulley.

tions (N/mm width) at 2 % elongation

 $\theta \times \pi$ 2×180°






Precautions for Use

The following are precautions for using **PolyBelt**.

Belt Tension

Measure the tension mark and stretch the belt to obtain the specified elongation rate. Rotate the belt once or twice to stretch it uniformly and check the tension mark.



Crossed Belt Drive


PolyBelt is highly abrasion resistant. In order to lengthen the belt life, insert a rotator at the intersection of the belt.



Belt Shifters

Use rotary belt shifters. If the shifters do not rotate, belt abrasion is accelerated. Set the shifters at the positions where the belt


enters the driven pulley. When selecting the belt type, consider the shifting property as well as the transmission calculation.



Attaching the Belt

When attaching the belt, use a center-distance adjuster.

If the adjuster is not available, cover the pulley edges with waste cloth, etc. to prevent damage to the belt



Belt Elongation Rate

The maximum allowable elongation rate for PolyBelt is 3 %.

When the belt elongation rate is more than 3 %, use the next highest rank of belt type or a wider belt.

Minimum Pulley Diameter


The minimum pulley diameters of PolyBelt for conveyance are listed in "Types and Properties" on P. 2 to 7. When the belt speed is 5 m/s or less, the minimum pulley diameter for conveyance is in effect.

Resistance to Chemicals

PolyBelt is not affected by wetting and drying, machine oil, steam, fat, benzine, etc. However, be aware that PolyBelt is affected by concentrated acids, phenols, ketones and alcohol.

Belt Length

PolyBelt is manufactured according to pitch length. When ordering the belt, specify the pitch length. When ordering the belt to be set at a location where the center distance is not adjustable, specify the pitch length shortened in advance by the specified elongation rate. (See P.9.)




Basic Structure

Troubleshooting for Power Transmission Problems

When any of the following failures occur, troubleshoot as follows:

Failure	Failure Diagnosis	Troubleshooting
The belt comes off the pulley.	The belt deviates at start-up and then returns.	 The starting torque is too high; tighten the belt further or lower the starting load.
	Normal performance when the load is low; the belt comes off under high load.	• The load is high; tighten the belt further or lower the load.
	The belt comes off even when the load is low.	 Correct the pulley parallelism. Tighten the part where the belt comes off. If the tension pulley is used, tilt its axis.
The specified speed is not reached.	When further tightening the belt, the rotation speed does not increase.	 Measure the pulley diameter. When the speed ratio is large, add the belt thickness to the pulley diameter. Measure the rotation speed of the driver.
Con Stra	When further tightening the belt, the rotation speed increases.	 Check for excessive load. Check the belt tension and the tension rate. Recheck that the belt transmission capacity is appropriate for the load. In an excessively high temperature environment, tighten the belt further.
The bearings are excessively heated.	Check for excessive tightening of the belt.	 Check the tension mark or measure the tension with a tensiometer. If the tension is too high, loosen the belt. If the belt is too wide for the load, narrow the belt width.
Heat	The belt tension is appropriate.	 Select appropriate bearings according to the bearing allowable load and rotation speed. Check for a shortage of lubricating oil.
Belt deflection	The belt deflects to the pulley axis. (Snaking)	• When slight snaking of the belt affects functionality, check that the belt is not bent.
	The belt deflects perpendicularly to the direction of the pulley axis. (Waving)	• The vibration frequency of the machine resonates with that of the natural vibration frequency of the belt; change the belt tension.

Belt Types



Surface cover configuration

Code	Configuration	Description	Material
SG	Extremely thin rubber with weave	Slight Green	NBR
L	Thin rubber with rough surface	Light	NBR
М	Medium thick rubber with rough surface	Middle	NBR
Н	Thick rubber with rough surface	Heavy	NBR
XH	Super thick rubber with rough surface		NBR
RT	RT		NBR
NRT	NRT		NBR
TW	TW		NBR
TF	Taffeta		NBR
HU	High hardness urethane (Flat and smooth)		PU

Manufacturing Tolerance

Ni	dth	۱	
			1

Nominal width	Tolerance		Nominal length	Tolerance	
			Nominariengui	Less than 100 mm W	100 mm W or over
~ 10	±0.3		~ 500	±2.0	±2.5
11 ~ 50	±0.5		501 ~ 1.000	±3.0	±4.0
51 ~ 100	±1.0		1.001 ~ 2.000	±5.0	±6.5
101 ~ 280	±2.0		2.001 ~ 5.000	±7.0	±9.0
281 ~	±3.0		5.001 ~ 10.000	±10.0	±13.0
			10.001 ~ 20.000	±20.0	±25.0
			20.001 ~	±0.15%	±40.0

• Polybelt is subject to dimensional change depending on storage conditions. The above dimensions are within the tolerance range before shipment.

S	pecial	processing
---	--------	------------

- Joint type
- Belt length
- Belt width
 - Tension member polyamide film type
 - Surface cover configuration

Joint type

Code	Description
E	Endless joint
В	Both ends joint
S	One end joint
С	Slit/cut roll
CJ	Cut products with length tolerance requirements
R	Original roll

Special processing

Code	Description	
Т	Special processing (Hole processing, etc.)	

Endless joint (E), Both ends joint (B)

Cut(C), Both sides joint (S), Roll (R)

Tolerance	
Nominal length or longer	

₩W=Width